

EVERYTHING WHEELS

- FRAME AND FORK REPAIRS
- WHEEL REPAIRS AND BALANCING
- FRAME AND FORK MODIFICATIONS
- CUSTOM WHEELS
- SPOKES, NIPPLES, HUBS AND RIMS




Send it to...

BUCHANAN'S

FRAME SHOP • 629 East Garvey Avenue • Monterey Park, California 91754 • (213) 280-4003

BUCHANAN'S



Our facilities have been developed exclusively to provide the highest quality fork, frame and wheel repairs for the motorcycle industry. Through enthusiastic customer and dealer acceptance, we have been able to build the largest and best equipped shop of its kind. Our experience is unsurpassed in serving a wide range of dealer needs.

This catalog contains our suggested list prices for common fork and frame repairs and modifications, wheel repairs, lacing and truing, spokes, custom parts, and special racing parts. Dealers may refer to our Wholesale Price List where each item is listed with corresponding wholesale cost to the dealer.

In cases where firm prices cannot be quoted, a price range is given. Worn or broken parts will not be replaced unless absolutely necessary in doing our repairs. If you do not find a particular type of repair or modification listed, call us for a quotation.

IMPORTANT! Do not throw away parts until you check with us. It is surprising what we can salvage for you. **TERMS: COD**—Please do not ask for exceptions. **30%** deposit required with all mail orders. Prices subject to change without notice.


NOTE: We are closed Sundays and Mondays.

SPOKES

We manufacture the most outstanding spokes available to the motorcyclist. Their superiority results from the high quality American wire used and our unique method of manufacturing. Our specially designed equipment bends the spokes by rolling rather than impacting. This provides greater strength where most spokes are the weakest. Our spokes have rolled threads and are cadmium plated.

Suggested
List

Single Diameter Spokes (Less Nipples)	ea .23
10 ga (.128")	
9 ga (.144")	
8 ga (.160")	



- A - Number of Spoke Holes
- B - Diameter of Rim*
- C - Width of Rim*
- D - Width of Hub at Spoke Flange
- E1 - Diameter of Spoke Hole Pattern
- E2 - Diameter of Spoke Hole Pattern
- F - Make and Model of Hub (if known)
- * - Usually Stamped on Rim

If you want other than stock crossing pattern, please state.


STAINLESS STEEL SPOKES ONLY

EA. 23

Suggested
List

Two Diameter Butted Spokes (Less Nipples)	
8-9 ga (.160" - .144")	ea .28
6-8 ga (.185" - .160")	ea .28
5-8 ga (.200" - .160")	ea .33

Above prices for spokes up to 12" long. For longer spokes, prices quoted upon request.



NIPPLES

Steel

5/16" OD Steel Nipples, 8, 9, 10 ga	ea .12
1/4" OD Steel Nipples, 9, 10 ga	ea .12
Aluminum Nipples	ea .14
By the 100	ea .12

STAINLESS STEEL NIP