







Mini- Motocrosser GTMXB	Motocrossers MX100B	MX125B	MX175B	MX250B	MX400B	Road racers TA125B	TZ250B	ТZ350В	TZ750B
	=	=	三	=	三	109 mph 126.0 in.	135 mph 176.8 in.	140 mph 176.8 in.	165 mph 185.0 in.
2-stroke, Torque Induction, Single 72 cc (4.39 cu. in.) 1.850 x 1.654 in. 6.8 :1 4.0 ftlb.@ 6,000 rpm Autolube Primary kick starter Flywheel Magneto 4-speed gearbox	2-stroke, Torque Induction, Single 97 cc (5.92 cu. in.) 2.047 x 1.795 in. 8.3:1 8.1 ftlb. @ 9,500 rpm Autolube and Pre-mix. Primary kick starter Flywheel Magneto 5-speed gearbox	2-stroke, Torque Induction, Single 123 cc (7.51 cu. in.) 2.205 x 1.969 in. 8.0:1 11.5 ftlb.@ 9,000 rpm Autolube and Pre-mix. Primary kick starter Flywheel Magneto 5-speed gearbox	2-stroke, Torque, Induction, Single 171 cc (10.43 cu. in.) 2.598 x 1.969 in. 7.0:1 11.1 ftlb.@ 8,500 rpm Autolube and Pre-mix. Primary kick starter C.D.I. 5-speed gearbox	2-stroke, Torque Induction, Single 246 cc (15.01 cu. in.) 2.756 x 2.520 in. 7.69: 1 22.5 ftlb.@ 6,500 rpm Pre-mix. Primary kick starter C.D.I. 5-speed gearbox	2-stroke, Torque Induction, Single 397 cc (24.22 cu. in.) 3.346 x 2.756 in. 7.57 : 1 28.6 ftlb.@ 7,000 rpm Pre-mix. Primary kick starter C.D.I. 5-speed gearbox	2-stroke, Piston valve, Air cooled, Twin 124 cc (7.57 cu. in.) 1.693 x 1.693 in. 7.5:1 + 9.84 ftlb. @ 12,500 rpm Autolube and Pre-mix. Push-start C.D.I. 5-speed gearbox	2-stroke, Piston valve Water cooled, Twin 247 cc (15.07 cu. in.) 2.126 x 2.126 in. 7.6:1 + 22.9 ftlb.@ 9,500 rpm Pre-mix. Push-start C.D.I. 6-speed gearbox	2-stroke, Piston valve, Water cooled, Twin 347 cc (21.18 cu. in.) 2.520 x 2.126 in. 7.3:1 + 30.2 ftlb.@ 9,000 rpm Pre-mix. Push-start C.D.I. 6-speed gearbox	2-stroke, Torgue Induction, Water cooled, Twin 694 cc (42.3 cu. in.) 2.520 x 2.126 in. 7.3:1 +47.0 ftlb.@ 9,500 rpm Pre-mix. Push-start C.D.I. 6-speed gearbox
61.1 in. 27.2 in. 36.6 in. 41.1 in. 7.7 in. 1.3 U.S. gal. 0.7 U.S. qts.	76.0 in. 36.4 in. 42.3 in. 50.8 in. 9.1 in. 1.59 U.S. gal. 0.48 U.S. qts.	78.7 in. 36.4 in. 42.9 in. 52.4 in. 9.8 in. 1.59 U.S. gal. 0.48 U.S. qts.	79.3 in. 36.4 in. 43.3 in. 53.0 in. 10.2 in. 1.59 U.S. gal. 0.48 U.S. qts.	83.3 in. 38.8 in. 45.9 in. 66.1 in. 9.3 in. 2.1 U.S. gal.	82.9 in. 38.8 in. 45.9 in. 55.7 in. 9.3 in. 2.1 U.S. gal.	72.0 in. 22.8 in. 39.4 in. 48.6 in. 5.5 in. 3.6 U.S. gal. 0.6 U.S. qts.	76.4 in. 20.1 in. 36.0 in. 52.4 in. 5.9 in. 6.0 U.S. gal.	76.6 in. 20.1 in. 36.2 in. 52.4 in. 5.7 in. 6.0 U.S. gal.	80.2 in. 25.1 in. 37.1 in. 55.4 in. 5.0 in. 6.3 U.S. gal.
2.50-15-4 PR 2.75-14-4 PR	2.75-19-4 PR 3.00-18-4 PR	2.75-21-4 PR 3.50-18-4 PR	2.75-21-4 PR 3.50-18-4 PR	3.00-21-4 PR 4.60-18-4 PR	3.00-21-4 PR 4.60-18-4 PR	2.50-18-4 PR 2.50-18-4 PR	2.75-18-4 PR 3.00-18-4 PR	3.00-18-4 PR 3.00-18-4 PR	3.25-18 3.50/525-18
TY250A	Mini- Motocrosser YZ80B	Limited production MX YZ125B	YZ250B	YZ360B					
53.0 in. 49.2 ft. @ 31 mph		\equiv							
2-stroke, Torque Induction, Single 246 cc (15.01 cu. in.) 2.756 x 2.520 in. 6.0:1 15.2 ftlb.@ 5,500 rpm Autolube Primary kick starter Flywheel Magneto 5-speed gearbox	2-stroke, Torque Induction, Single 72 cc (4.39 cu. in.) 1.850 x 1.654 in. 7.4:1 5.28 ftlb. @ 8,000 rpm Autolube Primary kick starter Flywheel Magneto 5-speed gearbox	2-stroke, Torque Induction, Single 123 cc (7.51 cu. in.) 2.205 x 1.969 in. 8.0:1 11.9 ftlb.@ 9,500 rpm Gas & Oil mixed (15:1) Primary kick starter C.D.I. 5-speed gearbox	2-stroke, Torque Induction, Single 246 cc (15.01 cu. in.) 2.756 x 2.520 in. 7.8:1 22.5 ftlb. @ 7,500 rpm Gas & Oil mixed (15:1) Primary kick starter C.D.I. 5-speed gearbox	2-stroke, Torque Induction, Single 351 cc (21.42 cu. in.) 3.150 x 2.756 in. 7.03 : 1 26.7 ftlb. @7,500 rpm Gas & Oil mixed (15:1) Primary kick starter C.D.I. 5-speed gearbox					
78.1 in. 32.9 in. 43.7 in. 51.0 in. 11.2 in. 1.59 U.S. gal. 0.37 U.S. qts.	66.9 in. 30.9 in. 36.8 in. 45.9 in. 6.3 in. 1.1 U.S. gal. 0.3 U.S. qts.	79.3 in. 36.4 in. 43.3 in. 53.0 in. 10.2 in. 1.45 U.S. gal.	83.3 in. 38.8 in. 45.9 in. 56.1 in. 9.4 in. 1.8 U.S. gal.	83.3 in. 38.8 in. 45.9 in. 56.1 in. 9.4 in. 1.8 U.S. gal.		6600	YAMAHA INTERN Orangethorpe Ave.,	ATIONAL CORPO Buena Park, Califor	RATION nia 90620
	Motocrosser GTMXB 2-stroke, Torque Induction, Single 72 cc (4.39 cu. in.) 1.850 x 1.654 in. 6.8:1 4.0 ftlb. @ 6,000 rpm Autolube Primary kick starter Flywheel Magneto 4-speed gearbox 61.1 in. 27.2 in. 36.6 in. 41.1 in. 7.7 in. 1.3 U.S. gal. 0.7 U.S. qts. 2.50-15-4 PR 2.75-14-4 PR TY250 A TY250 A	## Autology	## Autology	Motocrosser GTMXB	Motocrosser MX100B	Motocrosser GTMXB	Motocrosser MX100B MX125B MX175B MX250B MX400B MX400B TA125B	Motocrosser GTMXB	Mini- Mini

3.00-21-4 PR

4.60-18-4 PR

2.75-21-4 PR

4.00-18-4 PR

2.50-16-4 PR

3.00-14-4 PR

2.75-21-4 PR

3.50-18-4 PR

3.00-21-4 PR

4.60-18-4 PR